

Case Study

| | |
|-----------------------------|---------------------------------|
| Project/customer name: | Qingdao ShuiWu Fish Pool |
| Year of application: | 2019 |
| Location/country: | Qingdao/ China |
| Building type: | Pools |
| Authorized contractor: | Qingdao Tianyuanweiye |
| Additional project details: | Waterproofing for ponding water |

General view:



Challenge:

- The waterproofing system should not be broken down in ponding water.



Solution:

- Triflex ProTect and ProDetail made the perfect solution, because they are resistant to hydrolysis and will not be broken down in ponding water.




Products used at a glance:

Triflex offers liquid PMMA* based resins (e.g. ProDetail for details or ProTect for areas):

1. Substrate
2. Primer, if necessary
3. Waterproofing layers
 - a) Triflex ProDetail (2kg / sqm)
 - b) Triflex Special Fleece
 - c) Triflex ProDetail (1 kg / sqm)
4. Finish, if wanted

* Polymethyl methacrylate



Continually improved over 40 years in order to become the market leader in Europe.



Main benefits (European Guideline ETAG 005):

- 25 years estimated working life performance
- Fast curing time and rainproof after only 30 minutes
- Application possible till humidity of 99% and withstands surface temperature after application up to 90° C
- A liquid seamless solution that fits to any structure with complex geometry
- Adherence to any surfaces (Aluminum, steel, plastic, glass, bitumen, concrete, ...)
- Solvent free, environmental friendly and with no risk to health
- High resistance to chemicals, roots and rhizome, alkali and hydrolysis
- Cold application with no flame and flame retardant
- Highly UV resistant (1000 MJ/m² = 325 days)
- Easy to impose loads after application (for particular demands as green roofs)